

QUBIC SERIES

QS-S25

Where to buy: www.Force2Motion.de



6 DOF

SET ARCHITECTURE

350 kg

SET WEIGHT

238 w

AVERAGE POWER CONSUMPTION



250 kg

PAYLOAD

10 cm

ACTUATOR STROKE



MOTION PLATFORM QS-S25

QS-S25 is designed for customers looking for the most realistic simulation. The unique combination of professional motion technology and modern, adjustable accessories allows users to train and experience real flight or racing simulation.

The motion platform uses its 6 degrees of freedom (surge, sway, heave, roll, pitch, and yaw) to feed precise motion inputs that very accurately represent key sensations such as understeer, traction loss, lateral g-force inputs, braking. Machine gives the best feeling of the track – bumps, curbs, gravel or grass.

QS-S25 motion platform - advanced linear system is chosen also by military and universities as a training tool for various projects.

KEY FEATURES



Multifunctional

Flexible and universal unit for many various purposes



Unleashed performance

Impressive dynamics and high performance



Software support

Control motion systems using one of our SDK



Easy to transport

Modular design enabling transportation and assembly on site from the main components



VR technology

Full VR technology support



Safety

Safe mechanical design resistant to electronic failures

GENERAL SPECIFICATION **QS-S25**

SYSTEM PERFORMANCE

	EXCURSIONS	VELOCITY	ACCELERATION
SURGE	-13.2, 10.5 cm -5.2, 4.1 in	1250 mm/s 49.2 in/s	LIMITED TO 1G*
SWAY	-10.6, 10.6 cm -4.2, 4.2 in	1000 mm/s 39.4 in/s	LIMITED TO 1G*
HEAVE	-5.6, 5.5 cm -2.2, 2.1 in	350 mm/s 13.4 in/s	LIMITED TO 0.5G*
ROLL	-5.1°, 5.1°	40°/s	LIMITED TO 500°/s ² *
PITCH	-4.7°, 4.7°	40°/s	LIMITED TO 500°/s ² *
YAW	-9°, 9°	100°/s	LIMITED TO 1000°/s ² *

*value of acceleration is limited for safety reasons.

PAYLOAD SPECIFICATION

PAYLOAD	250 kg 551 lb
PRODUCT WEIGHT	350 kg 772 lb

MAIN DIMENSIONS

TOTAL WIDTH	1825 mm 72 in
TOTAL LENGTH	1761 mm 70 in
MIN HEIGHT	960 mm 38 in

POWER REQUIREMENTS

	120 V	230 V
AVERAGE POWER CONSUMPTION	238 W	199 W
AVERAGE POWER FOR CONVERTER SPECIFICATION	2161 VA	2115 VA
PEAK CURRENT FOR BREAKER SPECIFICATION	17.5 A	8.9 A

QS-S25 MOTION SET OPTIONS

- Set of wheels and feet - Mounting bracket: Steering Wheel - Mounting bracket: Pedals - Mounting bracket: Speakers (dedicated Creative Stage 2.1)
- Mounting bracket: Keyboard - Mounting bracket: Racing seat - Racing seat - Racing seat adjustment - 4-point safety seat belt - Mounting bracket: VR Headset headphones - Mounting bracket desk with attaching points-left - Mounting bracket desk with attaching points-right - Mounting bracket extended desk-left - Mounting bracket extended desk-right - Set of rods-both sides - Upper frame floor with attaching points - Power connector hub

SUPPORTED TECHNOLOGIES

VR HeadWay, VBS3/4 Plugin, Self Diagnostic, Self calibration

OUR SOFTWARE

Platform Manager - ForceSeatPM (license)

GENERAL DIMENSIONS

